

FALCON COMBAT HEADSETS

INFANTRY TACTICAL HEADSET SYSTEM



SINGLE OR DUAL COMMS/PTT
LIGHT AND RUGGED STRUCTURE
HELMET, HEAD OR VEST MOUNTED
AMBIDEXTROUS DESIGN
WATERPOOF, 1M SUBMERSION
SUPPORTS FULL DUPLEX AUDIO
PALM, FINGER OR CHEST PTT
PLUG AND PLAY SIMPLICITY
NO POWER REQUIRED

FALCON is a member of the Silynx "MADONA" light and "indestructible" headsets series - the world's best infantry tactical headsets, chosen by USA Special forces, UK Special forces, Israeli army, and many more.



OVERVIEW

FALCON Tactical Infantry headset

FALCON Tactical Infantry is designed for the maneuvering infantry soldiers that need cost effective, reliable, simple and rugged, wearable radio communication system.

Silynx FALCON is light weight, extremely durable and ergonomically designed to provide comfort during long continues usage. 1 meter full waterproof allows operation in constantly wet environment and instant communication emerging from swimming.

Utilizing Silynx proprietary, state-of-the-art, dynamic boom microphone and ear speakers provides crystal clear hear and speech quality.

Silynx patented, super rugged structure - guarantees years of usage without effect on both plastic and elastic properties of the boom microphone.

The FALCON is the world's first tactical headset that supports 2 simultaneous devices (Physical or virtual) with only one speaker and one microphone, but still, requires no power source regardless of the radio devices models used.

The FALCON is designed to be worn attached to combat vest, over or under (headband) the helmet.

The headsets are PPTed by either Silynx palm, ring, or chest PTTs. Optional acoustic tube is provided for direct in-ear hearing.


SYSTEM



Falcon on Headband



Single or Dual palm PTT



TECH SPECS

Physical data

Water resistance:	Submersible to 20m MIL-STD-810G
Weight	< 255 gr (without connector)
Temperature:	Operation –31°C to +65°C
	Storage -33°C to +71°C

Cable lengths to meet user requirements

Acoustical response

Variety of earphone impedance - optional Speaker frequency response: 300 to 4000Hz

Microphone

Dynamic / Electret microphone options	
Dynamic mic frequency response:	300 to 4000Hz
Electret mic frequency response:	200 to 9000Hz
Sensitivity:	>90 dB SPL @ 1 kHz

Peripherals

Color:
Direct radio connection: According to customer's requirements
Optional, headband, helmet hanger, acoustic tube, Cable Splitter (for
dual radio connection), Finger PTT, Chest PTT, Dual palm PTT.

^{*}Specifications are subject to change without notice.